L Number	Hits	Search Text	DB	Time stamp
1	3057	,	USPAT;	2004/04/04 15:44
		711/154.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	884	710/60-61.ccls. or 710/106.ccls. or	USPAT;	2004/04/04 15:44
		710/11.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	1694	709/233.ccls. or 709/248.ccls. or	USPAT;	2004/04/04 15:45
		709/213.ccls. or 709/216.ccls.	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	238	709/400.ccls.	USPAT;	2004/04/04 15:45
1	250	7007,400.6618.	US-PGPUB;	2004/04/04 15:45
			EPO; JPO;	
			DERWENT;	
		·	· · · · · · · · · · · · · · · · · · ·	
5	4086	713/400 gglg om 713/500 gglg om	IBM_TDB	2004/04/04 35 45
2	4086		USPAT;	2004/04/04 15:45
		713/600.ccls. or 713/1-2.ccls. or	US-PGPUB;	
		713/100.ccls.	EPO; JPO;	
			DERWENT;	
	202	717/1601 717/1701	IBM_TDB	2224/24/24 15 15
6	392	717/169.ccls. or 717/173.ccls. or	USPAT;	2004/04/04 15:45
		711/175.ccls. or 717/178.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
7	1397	[ · · · · · · · · · · · · · · · · · · ·	USPAT;	2004/04/04 15:45
		or 701/26.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	1099	365/185.33.ccls.	USPAT;	2004/04/04 15:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9	1527	((speed near5 (chang\$3 or set or setting or	USPAT;	2004/04/04 16:06
		convert\$3 or conversion or translat\$4)) or	US-PGPUB;	
		baud or rate) with (program\$4 or	EPO; JPO;	
		instruction) with communication	DERWENT;	
			IBM_TDB	
10	289474	(rewrit\$3 or re-writ\$3 or reprogram\$ or	USPAT;	2004/04/04 15:47
		re-program\$4 or program\$4 or writ\$3 or	US-PGPUB;	
ľ		stor\$3) same (nonvolatile or eeprom or prom	EPO; JPO;	
		or eprom or flash\$3 or rom)	DERWENT;	
		·	IBM_TDB	
11	441	(processor or microprocessor or cpu) same	USPAT;	2004/04/04 15:48
		(((speed near5 (chang\$3 or set or setting or	US-PGPUB;	
		convert\$3 or conversion or translat\$4)) or	EPO; JPO;	
		baud or rate) with (program\$4 or	DERWENT;	
		instruction) with communication)	IBM TDB	
12	2163		USPAT;	2004/04/04 15:53
	_	re-program\$4) with ((control or transfer or	US-PGPUB;	,,
		(set near1 up)) near5 program)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
				L

		_	_	
13	4	<pre>((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) ) and ((processor or microprocessor or cpu) same (((speed near5 (chang\$3 or set or setting or convert\$3 or conversion or translat\$4)) or baud or rate) with (program\$4 or instruction) with communication)) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 16:02
14	12216	((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4) with ((control or transfer or (set nearl up)) near5 program)) (711/103.ccls. or 711/147.cclś. or 711/154.ccls. ) or (710/60-61.ccls. or 710/106.ccls. or 710/11.ccls. ) or (709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls. ) or 709/400.ccls. or (713/400.ccls. or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 16:02
15	2	713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/100.ccls. ) or (717/169.ccls. or 717/173.ccls. or 711/175.ccls. or 717/178.ccls. ) or (701/33.ccls. or 701/35.ccls.or 701/24.ccls. or 701/26.ccls. ) or 365/185.33.ccls. ((processor or microprocessor or cpu) same (((speed near5 (chang\$3 or set or setting or	USPAT; US-PGPUB;	2004/04/04 16:03
		convert\$3 or conversion or translat\$4)) or baud or rate) with (program\$4 or instruction) with communication)) and ((rewrit\$3 or re-writ\$3 or reprogram\$5 or re-program\$4) with ((control or transfer or (set near1 up)) near5 program)) and ((711/103.ccls. or 711/147.ccls. or 711/154.ccls. ) or (710/60-61.ccls. or 710/106.ccls. or 710/11.ccls.) or (709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls.) or 709/400.ccls. or 713/400.ccls. or 713/500.ccls. or 713/100.ccls. or 713/1-2.ccls. or 713/100.ccls. or 711/173.ccls. or 711/175.ccls. or 717/178.ccls.) or (701/33.ccls. or 701/35.ccls.or 701/24.ccls. or 701/26.ccls.) or 365/185.33.ccls.)	EPO; JPO; DERWENT; IBM_TDB	
17	1031	terada-yukari\$.in. or kawase-yoshihiro\$.in. or kida-yoshiaki\$.in. or ishida-takashi\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/04 16:04
18	1	<pre>(terada-yukari\$.in. or kawase-yoshihiro\$.in. or kida-yoshiaki\$.in. or ishida-takashi\$.in. ) and ((processor or microprocessor or cpu) same (((speed near5 (chang\$3 or set or setting or convert\$3 or conversion or translat\$4)) or baud or rate) with (program\$4 or instruction) with communication))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 16:05
19	51632		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 17:37
20	14	<pre>(terada-yukari\$.in. or kawase-yoshihiro\$.in. or kida-yoshiaki\$.in. or ishida-takashi\$.in. ) and (((speed near5 (chang\$3 or set or setting or convert\$3 or conversion or translat\$4)) or baud or rate) with (program\$4 or instruction) )</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 17:37

16	23	((processor or microprocessor or cpu) same	USPAT;	2004/04/04 17:39
		(((speed near5 (chang\$3 or set or setting or	US-PGPUB;	
		convert\$3 or conversion or translat\$4)) or	EPO; JPO;	
		baud or rate) with (program\$4 or	DERWENT;	
		instruction) with communication)) and	IBM TDB	
		((711/103.ccls. or 711/147.ccls. or	_	
		711/154.ccls. ) or (710/60-61.ccls. or		
		710/106.ccls. or 710/11.ccls. ) or		
		(709/233.ccls. or 709/248.ccls. or		
		709/213.ccls. or 709/216.ccls. ) or		
		709/400.ccls. or (713/400.ccls. or		
		713/500.ccls. or 713/600.ccls. or		
		713/1-2.ccls. or 713/100.ccls. ) or		
		(717/169.ccls. or 717/173.ccls. or		
		711/175.ccls. or 717/178.ccls. ) or		
		(701/33.ccls. or 701/35.ccls.or 701/24.ccls.		
		or 701/26.ccls. ) or 365/185.33.ccls. )		